

### Said Shalaby M D Tanta University

By

Advantages: One p Disco Ferapy esp Early

One procedure in one sitting.

Discontinuation of expensive anti-glaucoma

merapy especially in poor countries.

Early rehabilitation.

#### **Indications:**



Glaucoma that is uncontrollable either medically or after laser trabeculoplasty when visual function is impaired by a cataract.



- Cataract requiring extraction in any POAG patient even if it is controlled
- Cataract requiring extraction in a non compliant patient.
- Stataract requiring extraction in a poor patient with glaucoma.



Cataract requiring extraction in closed angle glaucoma patient with PAS (PAC & PACG).

#### **Relative contraindications**

- Patient who has cataract and controlled IOP using one medication with mild to Moderate cupping and little or no visual field loss (phaco-alone).
- Glaucoma that requires a very low IOP (Trab + MMC alone).
- Advanced glaucoma with uncontrolled IOP and immediate need for successful reduction of IOP (Trab alone).

- Phaco. Decrease IOP......but:
- It increase IOP in a previous Trab.or tube.
- Phaco.is usually difficult in a previous Trab.
- <u>So:</u>
- Better is Phacotrab.if indicated.

#### Two sites or one site:

Two sites technique is preferable.

What is new :



#### Phaco-Ab-Externo angle surgery







